

PRODUCT LIST(1)

MEIKAWHEEL AUSTRALIA PTY LTD



Wheel Size	Product code	Max load (kg)	Approx. Weight (kg)	Offset (mm)	Inset (mm)	Disc Gauge (mm)	Bolt hole (mm)	Center hole (mm)	P.C.D (mm)	Mount Type	Mounting	Full 40HQ loading	standard equipped tyres size
17.5x6.00	MK175600001	2200kg	14.50	135	114.5	20.3	6-φ32.5	164.2	φ222.25	STUD	Dual	1100	8R17.5
17.5x6.00	MK175600002	2200kg	14.50	135	114.5	20.3	10-φ26.5	176.2	φ225	HUB	Dual	1100	205/75R17.5
17.5x6.00	MK175600003	2200kg	14.50	135	114.5	20.3	5-φ32.5	146.2	φ203.2	STUD	Dual	1100	215/75R17.5
17.5x6.75	MK175675001	2500kg	14.00	141	120	21	6-φ32.5	164.2	φ222.25	STUD	Dual	1000	9R/17.5
17.5x6.75	MK175675002	2500kg	14.00	141	120	21	10-φ26.5	176.2	φ225	HUB	Dual	1000	235/75R17.5
19.5x6.75	MK195675001	2750kg	16.50	142	120	22	6-φ32.5	164.2	φ222.25	STUD	Dual	1000	9R19.5 245/70R19.5
19.5x6.75	MK195675003	2750kg	16.50	142	120	22	8-φ32.5	214.5	φ275	STUD	Dual	1000	
19.5x6.75	MK195675004	2750kg	16.50	142	120	22	8-φ26.5	221.2	φ275	HUB	Dual	1000	
19.5x6.75	MK195675005	2750kg	16.50	142	120	22	8-φ24	221.2	φ275	HUB	Dual	1000	
19.5x6.75	MK195675006	2750kg	16.50	142	120	22	8-φ32.5	221.2	φ285	STUD	Dual	1000	
19.5x7.50	MK195750001	3000kg	17.23	155	135	20	10-φ26.5	220.2	φ285.75	HUB	Dual	800	265/70R19.5
19.5x7.50	MK195750002	3000kg	17.60	155	135	20	8-φ26.5	221.2	φ275	HUB	Dual	800	285/70R19.5
19.5x8.25	MK195825001	3150kg	17.60	167	146	21	10-φ26.5	220.2	φ285.75	HUB	Dual	800	265/70R19.5
19.5x8.25	MK195825002	3150kg	17.60	167	146	21	8-φ26.6	221.2	φ275	HUB	Dual	800	265/70R19.5
22.5x6.75	MK225675001	3200kg	23.80	152	130	22	8-φ26.5	221.2	φ275	HUB	Dual	720	9.5R22.5
22.5x6.75	MK225675002	3200kg	23.80	152	130	22	8-φ32.5	214.2	φ275	STUD	Dual	720	



PRODUCT LIST(2)

MEIKAWHEEL AUSTRALIA PTY LTD



Wheel Size	Product code	Max load (kg)	Approx. Weight (kg)	Offset (mm)	Inset (mm)	Disc Gauge (mm)	Bolt hole (mm)	Center hole (mm)	P.C.D (mm)	Mount Type	Mounting	Full 40HQ loading	standard equipped tyres size
22.5x7.50	MK225750001	3350kg	24.10	161.5	139.5	22	10-φ32.5	281.2	φ335	HUB	Dual	640	10R22.5 255/70R22.5
22.5x7.50	MK225750002	3350kg	24.10	161.5	139.5	22	10-φ26.5	281.2	φ335	HUB	Dual	640	
22.5x7.50	MK225750003	3350kg	24.10	161.5	139.5	22	8-φ26.5	221.2	φ275	HUB	Dual	640	
22.5x7.50	MK225750004	3350kg	24.80	161.5	139.5	22	8-φ32.5	214.2	φ275	STUD	Dual	640	
22.5x7.50	MK225750005	3350kg	24.10	161.5	139.5	22	10-φ26.5	220.2	φ285.75	HUB	Dual	640	
22.5x8.25	MK225825001	3650kg	27.10	167	142.5	24.5	10-φ32.5	281.2	φ335	HUB	Dual	640	11R22.5 275/80R22.5 275/70R22.5
22.5x8.25	MK225825002	3650kg	27.10	167	142.5	24.5	10-φ26.5	281.2	φ335	HUB	Dual	640	
22.5x8.25	MK225825003	3650kg	27.50	167	142.5	24.5	8-φ32.5	221.2	φ285	STUD	Dual	640	
22.5x8.25	MK225825004	3650kg	27.50	167	142.5	24.5	10-φ26.5	220.2	φ285.75	HUB	Dual	640	
22.5x8.25	MK225825005	3650kg	27.50	167	142.5	24.5	10-φ32.5	220.2	φ285.75	STUD	Dual	640	
22.5x8.25	MK225825008	3550kg	22.50	167	146.5	21	10-φ26.5	220.2	φ285.75	HUB	Dual	640	
22.5x8.25	MK225825009	3650kg	24.60	96.5	69.5	27	10-φ26.5	281.2	φ335	HUB	Steer	640	
22.5x9.00	MK225900001	4125kg	26.50	176	152.5	24	10-φ32.5	281.2	φ335	HUB	Dual	640	12R22.5 295/80R22.5 315/80R22.5 295/75R22.5 315/75R22.5 305/70R22.5 315/70R22.5
22.5x9.00	MK225900002	4125kg	26.50	176	152.5	24	10-φ26.5	281.2	φ335	HUB	Dual	640	
22.5x9.00 Dual/FP	MK225900005	4125kg	24.50	176	152.5	22.5	10-φ26.5	281.2	φ335	HUB	Dual	640	
22.5x9.00	MK225900008	4000kg	25.10	106	79	27	10-φ26.5	281.2	φ335	HUB	Steer	640	
22.5x9.00	MK225900009	4000kg	25.10	106	79	27	10-φ32.5	220.2	φ285.75	STUD	Steer	640	



PRODUCT LIST(3) MEIKAWHEEL AUSTRALIA PTY LTD



Wheel Size	Product code	Max load (kg)	Approx. Weight (kg)	Offset (mm)	Inset (mm)	Disc Gauge (mm)	Bolt hole (mm)	Center hole (mm)	P.C.D (mm)	Mount Type	Mounting	Full 40HQ loading	standard equipped tyres size
22.5x11.75	MK2251175001	4500kg	23.20	23	0	23	10-φ26.5	281.2	φ335	HUB	Single	480	365/70R22.5 385/65R22.5
22.5x11.75	MK2251175002	4500kg	23.10	23	0	23	10-φ32.5	281.2	φ335	HUB	Single	480	
22.5x11.75	MK2251175005	4500kg	23.20	23	0	23	10-φ26.5	220.2	φ285.75	HUB	Single	480	
22.5x11.75	MK2251175006	4500kg	26.20	145.5	120	25.5	10-φ26.6	281.2	φ335	HUB	Single	480	
22.5x11.75	MK2251175007	4500kg	26.10	145.5	120	25.5	10-φ32.5	281.2	φ335	HUB	Single	480	
22.5x11.75	MK2251175010	4500kg	26.20	145.5	120	25.5	10-φ26.5	220.2	φ285.75	HUB	Single	480	
22.5x13.00	MK2251300001	5500kg	29.80	14	-14	28	10-φ26.5	281.2	φ335	HUB	Single	400	415/45R22.5 425/65R22.5 445/65R22.5 445/75R22.5
22.5x13.00	MK2251300002	5500kg	29.80	14	-14	28	10-φ32.5	281.2	φ335	HUB	Single	400	
22.5x14.00	MK2251400001	5800kg	25.20	0	-31	31	10-φ26.5	281.2	φ335	HUB	Single	400	445/50R22.5 455/55R22.5
22.5x14.00	MK2251400002	5800kg	25.20	0	-31	31	10-φ32.5	281.2	φ335	HUB	Single	400	
24.5x8.25	MK245825001	3750kg	27.19	167.2	145.2	22	10-φ26.5	220.2	φ285.75	HUB	Dual	320	11R24.5 285/75R24.5
24.5x8.25	MK245825002	3750kg	25.18	167.2	145.2	22	8-φ26.5	221	φ275	HUB	Dual	320	
24.5x8.25	MK245825003	3750kg	26.01	167.2	145.2	22	10-φ32.5	220.2	φ285.75	STUD	Dual	320	

